1952.

C CLASS.

File No. LBB 1852

P.W. **DEPARTMENT**

K. **BRANCH**

Subject:— The Amalgamated Ely. Co. (Belgaum) Ltd.

Revised rates for electric supply.

C (K) 110

240
E

File No. LBB 1852 / K.

Gd. Scott. Slip 24-B



Tarun Bharat Bi-Weekly, Belgaum.

वर्ष २४ वे) मंगळवार ता. १४ माहे आक्टोबर सन १९५२

नवी दरवाढ मान्य करा अगर वीज घेणे बंद करा!

बेळगांव वीज कंपनीची नोटीस

येथील दि अमेलगमेटेड इलेक्ट्रिक कं. बेळगांव लि. या वीज कंपनीनें येत्या १ डिसेंबर १९५२ पासून इलेक्ट्रिसिटी ॲक्ट १९४८ सेक्शन ५७ शेडयूल ६ क्लॉज १ च्या आधारे बेळगांव शहरांतील आपल्या वीज ग्राहकांना रेडिओ, हिटिंग वगैरेच्या बाबतीतील दर वाढविण्यांत येणार असल्याचे नोटीसद्वारे कळविले आहे. या नोटीसमध्यें सुचविलेल्या बदलाचा आशय असा–

१) यापुढे रेडिओसाठी स्वतंत्र मिटर ठेवले जाणार नाहीत. तसेच सध्याचा रेडिओसाठीं युनिटास रु. ०–२–९ दर आहे, तो वाढवून रु. ०–६–९ म्हणजे लाईटिंगच्या दराप्रमाणेंच आकारला जाईल.

२) घरगुती उद्योग–स्वयंपाक, इस्त्री वगैरेसाठीं ज्यांच्याकडे [illegible]ग सर्किट आहे, त्याना पूर्वीचाच म्हणजे रु. ०–२–९ चा दर चालू राहील; मात्र त्यांचा मिनिमम चार्ज रु. १–८–० ऐवजी रु. ३–०–० आकारण्यांत येअील. तसेच शिवण कामाचे यंत्र, कॉफी ग्राइंडर, पाण्याचा पंप, रिफ्रीजरेटर्स वगैरेसाठीं जे सिंगल फेज मोटार वापरीत आहेत, त्यांना रु. २–११–० स्टॅंडिंग चार्ज अधिक युनिटास रु. १–६ प्रमाणें सध्यां आकार आहे, त्यांनाही यापुढें दर युनिटास रु. ०–२–९ पै दर आकारला जाऊन त्याना कमींत कमी रु. ३ दरमहाचा मिनिमिम चार्ज द्यावा लागेल.

ज्यांना वरील दर मान्य नसतील त्यांनी कंपनीस तसें कळवून आपली कनेक्शन्स बंद करून घ्यावींत असेही कंपनीनें कळविले आहे.

कंपनीनें सुचविलेल्या वरील फेरफारामुळें लाईट व रेडिओ करितां वापरली जाणारी वीज एकाच मिटरवर मोजली जाईल. व त्यामुळें बऱ्याच जणांना युनिटमागे ०–०–९ पै प्रमाणे सरटॅक्स द्यावा लागेल. ज्यांचा रेडिओ वरील विजेचा वापर जास्त होतो, त्यांना ही दरवाढ चांगलीच जाणवणार!

आणखी एक प्रश्न असा कीं लाइटिंगवर सरटॅक्स घेतला जातो, त्याच द्वारानें रेडिओच्या वापरावरही तो आकारला जाणार काय, याचा कंपनीनें खुलासा केलेला नाहीं.

मुख्यतः बेळगांव शहरांत वीज कंपनीनें रेडिओसाठीं म्हणून निराळी हीटिंग सर्कीट्स दिली आहेत; परंतु नव्यानें सुचविलेल्या दरांतील फरकामुळें हीं सर्कीट्स जवळ जवळ सर्वच बंद पडतील. या लोकांनीं आपलीं रेडिओचीं सर्कीट्स इतर कामासाठीं वापरण्याचे योजिलें तर त्याला प्रथम कंपनीची परवानगी घेतली पाहिजे. आणि इतकें करूनहि असा उपयोग करणारांस पूर्वीच्या रु. १–८–० ऐवजीं किमान रु. ३–०–० दर द्यावा लागणार आहे.

वरील दरवाढ घडवून आणण्यास कंपनीला असें कोणतें कारण झालें ते कळून येत नाहीं. केवळ कंपनीकडे विजेची मक्तेदारी आहे म्हणून त्यांनीं वाटेल तेव्हां अशी दरवाढ करावीं याचें मोठे आश्चर्य वाटते.

ज्यांनी अलीकडे रेडिओ कनेक्शन्स करितां शेकडो रुपयें खर्च करून नवीफिटिंग्स करून घेतली आणि अवघ्या ६ महिन्यापूर्वी हिटिंग सर्किट्स करितां कंपनीनें ग्राहकांना प्लग्स बदलण्यास भाग पाडले, अशा सर्व वीज ग्राहकांना, केवळ अेका नोटिसीने, 'दरवाढ पत्करा अगर वीज वापरणें बंद करा' असें सांगून भागणार नाही. या अेकंदर उलाढालीत फिटिंग वगैरेसाठी लोकांचा जो पैसे खर्च झाला, त्या नुकसानीस जबाबदार कोण? सरकारला. या प्रकरणाची कांहीं दखल आहे कां?- कंपनीनें आतां होऊ घातलेली दरवाढ योग्य आहे काय? याची सरकारनें चौकशी करावी

— डॉ. ए. जी. याळगी

सप्लाय हेडक्लार्क श्री. गुंजीकर व सर्कल इन्स्पेक्टर श्री. मुल्ला निर्दोषी

शहापूर तालुका सप्लाय हेडक्लार्क श्री. व्ही. जी. गुंजीकर यांनी १९४९ मध्यें सरकारी मात खरेदीजी २००० रु. रक्कम वापरली व सर्कल इन्स्पेक्टर श्री. मुल्ला यांनी त्याना वाचविण्याकरिता खोटे कागद पत्रतयार करण्याचे कामीं मदत केली अशा आरोपाखा अनुक्रमे, इं. पि. को. कलम ४ ४७७ (अ) व १९३ आणि ४ १९३ व १०९ अन्वये वरील दोघा खटला भरण्यांत आला होता.

हा खटला येथील रेसि. फर्स्ट मॅ

तरुण भारत—

दि वा ळी अं क

शुक्रवार ता. १७ आक्टो. रोजीं प्रसिद्ध होणार

या अंकात —

- अिन्दिरा सन्त, वि. मा. दी. पटवर्धन, कृ. र परांजपे, श्री. भ. पै वगैरेंच्या सात चटकदार कथा-
- दि. के. बेडकर, बा. गं. सामंत, बा. रं. सुंठणक वगैरेंचे पांच चिकित्सक लेख–
- संजीवनी मराठे, वि. म. कुलकर्णी, कृ. ब. निकुंब विन्दा करंदीकर, राजस वगैरे कवींच्या बार कविता–
- याखेरीज ललित–साहित्य–स्पर्धेतील बक्षिसांच्य कथा व लघुनिबंध अशा विविध साहित्यानें नटलेल

हा अंक आपला दिवाळीचा आनंद खास वाढवील.

आपली प्रत आजच राखून ठेवा.

पृष्ठे	आर्ट कागदावरील चित्ताकर्षक मुखपृष्ठ	किंमत
१००		१ रुपया

वार्षिक वर्गणी स्थानिक रु. ४ व परगांवी रु. ५-१०-०

आगाऊ पाठविणारांस हा अंक वर्गणीतच पाठवूं.

श्री. आजरेकर यांना ठेवण्यांत आले आहे.

ी. श्री. तिळवे (वकील) इ. अनेक ष्ठित गृहस्थांनीं भेटी देऊन ीलप्रमाणें देणग्या दिल्या:—

श्री. माधवराव पित्रे ५१–०–०
,, बसाप्पा अरगांवी ५१–०–०
,, सण्णप्पा नाईक ११–०–०
,, सावसाहेब वागळे १०–०–०
श्रीमती काळे (नर्स) १०–०–०

ळगांव जिल्ह्यांतील दुष्काळाची भीति संपली

सर्वत्र समाधानकारक पाऊस

बेळगांव जिल्ह्यांतील दुष्काळी गांत सर्वत्र चांगला पाऊस झाल्यानें काळाचा भीति आतां नाहीशी लेली आहे. हातीं आलेल्या माहिती नं असें समजते कीं चिक्कोडी क्यांत ५ इंच १३ सेंट, अथणी लुक्यांत ४ इंच, हुक्केरी तालुक्यांत इंच असा पाऊस पडला आहे. क्कोडी तालुक्यांतील पावसानें तर त्येक ठिकाणी शेतांतील बांध फुटून कडे तिकडे शेतांत पाणीच पाणी ले आहे. आतां रब्बी जोंधळा, गहूं हरभरा या पिकाच्या पेरण्या सुरू ल्या असून लवकरच भूईमुगाचा गाम सुरू होईल. मका पेरण्याचे काम ोमानें सुरू झाले असून बाजरीला लें येऊं लागली आहेत.

घटप्रभा योजनेच्या कामीं पैशाचा अपव्यय

गेल्या ४ तारखेस हुबळी येथे कर्नाांतील कां. पक्षाचे विधिमंडळांतील भाग आणि प्रदेश कांग्रेसचे कार्यकर्ते ांची सभा श्री. निजलिंगापा यांचे अध्यतेखाली भरली होती. निरनिराळ्या जिल्ह्यांतील प्रतिनिधीनी आपल्या ुष्काळी परिस्थितीचे विवेचन करून रकारने ताबडतोब दुष्काळ निवारण्यासाठीं लहान पाटबंधाऱ्याच्या ोजना हातीं घ्याव्या आणि कर्नाटकांतून दुष्काळाची कायमची हकाल ट्टी करण्यासाठी घटप्रभेसारख्या ोजना हाती घ्याव्यां अशा सूचना ल्या.

बेळगांव जिल्हयातर्फे श्री. अण्णुजीनीं भाषण केले. ते म्हणाले दुष्काळ निवारणाचे कामीं पैशाचा व्यय होणार नाहीं यांची दक्षता े जरूरीचे आहे. घटप्रभा योजनेच्या र्यांत असा पैशाचा अपव्यय झाल्याचे ून आल्यामुळें यापुढे आपण जागे असले पाहिजे " वगैरे.

डॉ. कित्तूर यांचे हॉस्पिटल पुन्हा सुरू होणार

कै. डॉ. बाबुराव (सी. आर.) कित्तूर यांचा येथील काकतीवेसमधील दवाखाना डॉ. जी. एस. मूर्ति एम. बी. बी. एस; बी. एम. एस. (EX) हें येत्या ता. १९–१०–५२ पासून सुरू करणार असून उद्घाटन समारंभ सायं. ५ वा. होणार आहे. डॉ. मूर्ति हे पूर्वी सरकारी फिरत्या दवाखान्याचे डोळ्याचे डॉक्टर होते.

चंदगडचे वातमीपत्र

अभिनंदनीय कार्य

येथे ता. २ ऑक्टोबरपासून ग्राम सुधारणा सप्ताह मोठ्या उत्साहानें साजरा झाला. या सप्ताहानिमित्त खेडेगांवाना जोडणारे लहान लहान रस्ते तयार करण्याचे काम जोमानें चालू आहे. चंदगड ते कोकरे, चंदगड ते हिंडलगा, असें चंदगडच्या तिन्ही बाजूला असलेले तीन जोड रस्ते तयार करण्याचे काम चालू असून त्याकामीं बहुसंख्य नागरिक, माजी व आजी ग्रामपंचायतीचे सभासद व कांग्रेस कार्यकर्ते खपत आहेत. प्रत्येक रस्त्यावर सुमारे १००–१२५ लोक काम करत आहेत.

मार्केट भागांत दारू सामान उडविण्यास बंदी असावी.

संपादक, तरुण भारत यांसी

येथील मार्केटमध्यें भररस्त्यावर दरवर्षी दिपावळीत दारूसामान उडवितात. दिपवाळीच्या दिवसांत दुकानातून सर्वत्र रोषनाई केलेली असते व रस्त्यातून लोकांची अतिशय गर्दी असते. अशा परिस्थितींत मार्केट–भागांत दारूसामान उडविल्यानें धोका पोचण्याचा संभव असतो. तरी याबाबतींत यंदा खबरदारी घेतली जाईल अशी अपेक्षा आहे.

—एक नागरिक

रेड्यांची टक्कर

येत्या रविवार ता. १९ रोजी सायं. ४॥ वा. गोडसेवाडीचे माळावर सरज्या व रामा या रेड्यांची टक्कर होणार आहे.

– हैद्राबाद राज्यांतील कम्युनिस्टांनी आपल्या जवळची शस्त्रास्त्रें बिनशर्त सरकारच्या स्वाधीन करण्याची आपली तयारी दाखविली असून सरकारनेहि त्यास मान्यता दिली आहे.

issued to ... if no written objection is lodged in this office, within a month from this date.

DHARWAR
Date 17-9-1952

R. S. Hiremath
Governor
The S. L. I. Co., Ltd., Dharwar

स्टेट ट्रॅन्स्पोर्ट बेळगांव डिव्हिजन नं. १

खाली दिलेल्या सामानाचा जाहीर लिलांव तारीख १५–१०–५२ रोजी सकाळी ११ वाजतां डिव्हिजनल वर्कशापच्या आवारांत होणार आहे.

१) मोटारीचे निरुपयोगी सुटे भाग
२) जुनी वर्तमानपत्रे

या लिलांवा बाबतच्या अटी १ रु. भरून स्टोअर सुपरिंटेंडेंट C/o डिव्हिजनल वर्कशॉप बेळगांव यांचेकडें मिळतील.

डिव्हिजनल कंट्रोलर, बेळगांव

मिश्रखते अन्नधान्य, कडधान्य, गळितधान्य, ऊस, तंबाखू, बटाटा, केळी, भाजीपाला, फळफळावळ. इत्यादी बागायत व जिरायत पिकास, उपयुक्त अशी मिश्रखते व सुपरफॉस्पेट विकण्यासाठी तालुकावार एजंट पाहिजेत लिहा:—

दि धरमजी मोरारजी केमिकल कं. लि.
प्रॉस्पेक्ट चेंबर्स, हॉर्नबी रोड, मुंबई १

उत्कृष्ट दूध मिळण्याची सोय झाली

दोड्डण्णावर बंधू यांचे बस्तवाड येथील डेरी फार्मचे ताजे व सकस दूध रोज दोन्ही वेळा मिळूं शकेल.

चौकशी करा:– दोड्डण्णावर ब्रदर्स, धारवाड रोड, बेळगांव.

ता. १ आक्टोबर १९५२ पासून रेल्वेचे बदललेले वेळपत्रक

पुणेकडे जाणाऱ्या गाड्या

गाडीचे नांव		येते	सुटते
एक्सप्रेस	बेंगळूर–पुणें	३–१२	३–२९
पॅसेंजर	लोंढा–पुणें	५–५०	६–१०
,,	हुबळी–पुणें	१०–९	१०–३९
,,	दावणगिरी–कोरेगांव	१५–३२	१५–५०
जनता	हुबळी–पुणें (सोम. मंगळ. शुक्र.)	१७–४१	१७–५९
मेल	बेंगळूर–पुणे	१८–५९	१९–२४

हुबळीकडे जाणाऱ्या गाड्या

गाडीचे नांव		येते	सुटते
जनता	पुणे–हुबळी	६–५७	७–१२
मेल	पुणे–बेंगळूर	८–२९	८–४९
पॅसेंजर	पुणे–हुबळी	११–२९	११–५४
,,	कोरेगांव–दावणगिरी	१४–२३	१४–४३
,,	पुणें–लोंढा	२१–८	२१–३३
एक्सप्रेस	पुणें–बेंगळूर	२३–५३	०–२०

Belgaum Elec. Coy.
may be asked to stay
work and not to
discontinue the lines
given for Radio.
Their guiz should
be made to close
down when the
power is cut

(21-10-52)

Secy PWD



9 LBB 1852 ~~2~~ 1852

No LBB 1852 K

P. wtd.
Bge (Boundary No. 1)
act 1952.

To The Managing Director,
The Amalgamated Electy. Co. (Belgaum)
Ltd., 126 Elphinstone circle, Fort, Bay.

~~L~~ - Sub:- Revised rates for elec. supply.

Sir

I am directed to refer to your notice, dated the 9-10-52, reg. revised charges for elec supply, to be enforced from 1-12-52 and to advise you not to disconnect any installation for radio, until you hear further in this matter from Govt even

P-1

10

even though the consumers having radios do not elect to receive supply at the revised rates.

Yours Hfly DH. Vil.

[Copy forwarded with] [P-1 Asstt. Secy.] the notice under ref [P-3] and the cutting from Tarun Bharat-Bi-Weekly, Belgaum, dated the 14-10-52 forwarded to the EC. Engr. to Govt.

2. ~~He is requested to~~ offer remarks urgently on the revised rates ~~proposed indicated~~ decided to be enforced by the co. He is also requested to persuade the Supply co. not to disconnect the installations for radio, pending post examination of the proposed rate.

RH 29/10/52

LPB 165 - 312
1852

11

P. W. D.

KBr

Resubmitted with the new draft with refer. to the Secy's note at p-7 ante.

29/10/52.

KS (CHE)

F-1 13 LBB 1852

Below notice, dated the 9-10-52 issued by the Amalgamated Electy. Co. (Belgaum) Ltd., Belgaum Branch and cutting from Tarun Bharat Bi-weekly, Bilgaum, of the 14-10-52 reg. revised rates for elec supply at Belgaum

Immediate

No. LBB 1852-B

P. W. D.

Bel. (Bombay No. 1)

30th Oct. 1952.

Forwarded to the Exl. Engr. to Govt. with a request to offer remarks immediately and in no case later than the 15-11-52 on the revised rates proposed to be enforced by the supply co.: + He is also requested to persuade the supply

supply co. not to disconnect the installations for radios pending Govt. examination of the proposed rates.

By order etc.

Dy. Sec. to Govt. Accounts.

29/10/32

ISSUED
31/10/32

H. Wood
2.11.32



Dr. A.G. Talgi writes the following in the Tarun-Bharat

The Amalgamated Electric Co. Belgaum, Ltd has informed its customers by issuing a notice that the electric charges for radio, heating and other purposes in Belgaum will be increased from the 1st December 1952, under clause 1, schedule 6, sec 57 of the Electricity Act 1948. The changes in the rates as stated in the notice are as follows :- (1) There will be no seperate meter for the radios, similarly, the present rate for the radio, which is Rs. 0-2-9 per unit, will be increased to Rs. 0-6-9 per unit i.e. the rate will be on par with that charged for lighting purposes. (2) The old rate of Rs. 0-2-9 will be continued for those who possess heating circuits for home industries, cooking, ~~ironing~~ ironing etc; such persons, however, will have to pay Rs. ~~2~~ 3-0-0 instead of Rs. 1-8-0 as the minimum charge. Those ~~x~~ using the single phase motor for ~~securing~~ sewing machines, coffee grinders, water pumps, refrigerators etc; are at present paying Rs. 2-11-0 as the standing charge plus Rs. 1-6-0 per extra unit. But henceforward they too will have to pay Rs. 0-2-9 per unit and pay Rs. 3 every month as the minimum charge. The Company has also informed its customers that they should cut off their connections if they do not agree with the above rates. Owing to this change in rates effected by the company the electricity consumed for light and radio will be measured on the same meter and therefore a number of consumers will have to pay Rs. 0-0-9 as surcharge per unit. The company has not explained whether the surtax on radio and lighting will be the same. We do not understand why the company has increased its rates. Has Government any information about this matter ? Government should enquire whether the increase compulsorily effected by the Company in its rates is proper for otherwise.

Tarun Bharat
14-10-52
Marathi Biweekly
BELGAUM

...

Forwarded with compliments to :-
1. The Collector, Belgaum;
2. The Secy. to Govt. P.W.D.Bombay;
3. The C.M.Home, Bombay;
for information.

for Examiner of Books and Publications.

svp-28/10

K
31-10

P. W. D.

File No. ASST LBB 1852

Serial No. 102972

Below Government, Public Works Department, endorsement No.LBB.1852 K, dated the 30th October 1952.

No.LRM-12/10418 of 1952.

Bombay, 1st November 1952.

Returned, with compliments.

2. I had a talk with the Managing Director of the Electrical Undertaking at Belgaum, and I was informed that the Supply Company was obliged to take this action, because several consumers have been obtaining connection for radio circuits at reduced rates and actually utilising this connection for lights and fans, for which a higher rate is charged. It is quite true that a consumer who obtains connection for a specific purpose at lower rate and uses it for other purposes for which a higher rate is prescribed, commits a theft of energy and is considered as making improper use of the energy of the licensee; but the remedy in such cases would be to take action against the consumer concerned under section 44 of the Indian Electricity Act, 1910, and the action now proposed by the licensee to increase the rates for radios generally and deprive numerous other consumers who have been using energy legally and for bona-fide purposes, of the convenience which they enjoyed before, just for the sake of a few law brakers, is absolutely unjustified.

3. So far as the financial aspect of the undertaking is concerned, the actual revenue to the licensee from this source will be very small, but the inconvenience on account of the increased rates to bona-fide users of radios would certainly be felt by the consumers. I have, therefore, advised the Managing Director of the Supply Company to amend the notice in such away that bona-fide users of radios would continue to enjoy the facilities they have been having so far, and the persons who are indulging in the practice of improperly using the energy would be suitably warned. The Managing Director has accepted my advice and has assured me that he would suitably instruct his office at Belgaum, so that there would be no disconnection on the grounds of the notice already issued.

Electrical Engineer to Govt.

P.


LBIB 1852
103484

21 LBB 1852 102972

103484

K.B.

P.W.D.

Submitted with refce. to the M.(P.W.D.)'s minute P-5 dated the 21-10-1952.

2. Please see the endt. P-19 dated the 1-11-1952 from the El. Engr. to Govt. It will be seen therefrom, that the Managing Director of the Electricity undertaking at Belgaum has agreed to so amend the notice that bonafide users of the radios would continue to enjoy the facilities they have been enjoying so far, and the persons who are indulging in the practice of improperly using the energy would be suitably warned. The Managing Director has assured the El. Engr. that he would suitably instruct his office at Belgaum, so that there would be no disconnection on the grounds of the notice already issued. If approved, the Managing Director may be asked to report the action taken by him in the matter to Govt. Necy draft P-23 Post is put up for approval.

K.B.H.
5/11/52.

D.S.(E.E.) 5/11

Secy. WMD 5/11

Minister. 17/11/52

X 8/11

1.5

8/11

1-11

very urgent.

No: LBB.1852-K.

23

LBB.1852/103484.

P.W.D.,

B.C.(Bombay No.1)

12th November 1952.

To

The Managing Director,
The Amalgamated Elecs. Co(Belgaum)Ltd.
Post Box No. 879,
17-B, Horniman Circle,
Fort, Bombay No.1.

Subject:- Revised rates for electric supply at Belgaum.

Sir,

With refce. to the talk that you had with the El. Engr. to Govt. some days back, you had agreed to amend the notice issued by you on the 9-10-1952, in such a way that bonafide users of the radios would continue to enjoy the facilities they have been enjoying so far, and the persons who ~~are~~ were indulging in the practice of improperly using the energy would be suitably warned. You had assured the El. Engr. that you would suitably instruct your office at Belgaum, so that there would be no disconnection on the grounds of the notice ~~refd. to above~~ already issued. It is presumed that you have already instructed your office at Belgaum to amend suitably the notice issued by you as stated above. Pl. confirm.

DA. Nil.

Yours faithfully,

A.S. to the Govt. of Bombay,
P.W.D.

Copy forwarded to the El. Engr. to Govt. with refce. to his endt. No: LRM-12/10418, dated the 1-11-1952.

K.J.H.
11.11.52.

12/11.

your office at Belgaum to amend suitably the notice issued by you as stated above. Please confirm.

Yours faithfully,

Assistant Secretary to the Government of Bombay,
Public Works Department.

D.A.-Nil.

Copy forwarded to the Electrical Engineer to Government with reference to his endorsement No.LRM 12/10418, dated the 1st November 1952.

ISSUED
Date 14/11/52

3 AG/12.11.

Audit (15-12-52)
15/11

TELEGRAMS : "CONELECTRO" TELEPHONES : 32880-89

The Amalgamated Electricity Co., (Belgaum) Ltd.

Managing Agents :
THE CONSOLIDATED ELECTRIC AGENCIES LTD.
Controlling Power Stations :-
Ajmer - Belgaum - Bulsar - Bhiwandi - Bhusawal - Chalisgaon - Dohad - Jalgaon - Malegaon

Post Box No. 879, 17-B, Horniman Circle,
Fort, B O M B A Y.

Ref.AMAL/BEL/C/2/52. BELGAUM BR. 19th Novr. 1952.

The Assistant Secretary to the
Government of Bombay,
Public Works Department,
BOMBAY:

Dear Sir,

Ref: Your letter No.LBB 1852 K
dated 12th inst. 6-23
Re: Revised rates for electric
supply at Belgaum.

A/ We have instructed our Belgaum office to issue notice amending our circular in connection with revised rates dated 9th ultimo and hence no steps for of disconnections as per our circular referred above shall be taken.

We hope you will find the above in order.

Yours truly,
The Amalgamated Electricity Co., (Belgaum) Ltd.,
for Consolidated Electric Agencies Ltd., Managing Agents.

CAJ.

Managing Director.



T.P.
21/11/52.

20 11 52

No: LBB 1852K.

31
Letter.

LBB 1852
116694.

P.W.D.,
B.C. (Bombay No.1),
26th November 1952.

To
The El. Engr. to Govt.

Subject:- Revised rates for electric supply at Belgaum.

Refee:- G.E.No: LBB 1852K, dated the 12-11-1952 P-23

2. The enclosed copy of letter No: AMAL/BEL/C/24/52, dated the 19-11-1952, from the managing director, The Amalgamated Electricity Co. (Belgaum) Ltd., Belgaum Branch, is forwarded herewith for your information, in continuation of G.E. P-23 refd. to above. P-27

P-27 A copy of letter refd. to.

K-DK.
22/11/52.

By order etc.,
A.S. to the Govt. of Bombay,
P.W.D.

with copy of letter.
27/11/52

I wrote (h)
26/X

25/11

LBB 1852/110694.

K Br.

P.W.D.

Resubmitted with reference to p. 31. y. L.

No. LBB 1852 K, dt. the 26-11-52, and the office note dt. the 22-11-52 underlying it. p. 29. p. 31.

2. It seems desirable that a copy of the notice* amending the circular on page 1 ante should be called for from the Belgaum licensee.

* vide "A" on p. 27 ante.

3. The draft put up may issue, if approved. p. 35-36

This is a very belated action. Copy we have been called earlier. Sl. Gr may have verbatim

A.S. (III). 18-9-53.

a copy of this notice. He may be requested to kindly advise intimation of exn.

21
19/9/53

for Chief Electrical Engr. 22-9-53

AP

Issue no (10/55)

21/9.





on the subject mentioned above and to request you to forward, for the information of Govt., a copy of the notice proposed p.27 ~~to be issued by you~~ by you amending your circular dt. the 9-10-52 regarding your revised rates. p.1.

D.A. — Nil.

18-9-53.

Yours faithfully

A.S. to Govt.

THE AMALGAMATED ELECTRICITY CO.(BEL.)LTD.
BELGAUM BRANCH.
NOTICE. p.1.

(Amendment to our Notice of 9th Oct.1952).

Please read our p.1. Notice dated 9th Oct.52 with the following amendments:-

1. Delete word "RADIOS" from Item No.1 (a) & (b)
2. Add word "RADIOS" in Item No.2
3. Delete item No.1 from P.S.

For the A.E.Co.(Bel.)Ltd.,
BELGAUM BRANCH

sd/-E.PEREIRA.
Electrical Engineer & Manager.

39.

pp. 33-34.

Below U.O.R.No.LBB.1852/110694 dated the 2nd September 1953, from Government in the public Works Department.

No.LRM.12/ 9117 .of 1953.

Bombay,1. 4th, NOVEMBER '53

Returned with compliments.

2. p 37. A copy of the notice issued by the Supply Company amending its p.1 notice of 9th October 1952 is enclosed for information.

Electrical Engineer to Govt.

L.C.

LBB 1852/12993.

40.

K Br.

P.W.D.

p.39.

Submitted with reference to the office note dt. the 18-9-53 and A.S.(II)'s orders dt. the 19-9-53. p.33. pp.33-34.

2. The Elect. Engr. has forwarded a copy of the notice issued by the Amal-gamated Electricity Co.,(Belgaum) Ltd, Belgaum Branch, amending its circular on page 1 ante. No further action. p.39. p.37.

P. W. D.
LBB 1852
12993)
5/11

LBB 1852/129937.

action is called for on these papers. If approved, they may now be recorded.

11-11-53.

11/11/53

A.S. (II)

file
14/11



Resolution:- Government is pleased to sanction for a period of five years the following revised rates for the supply of electricity by the Amalgamated Electricity Company (Belgaum), Limited, to the Vaccine Institute, Belgaum:-

> " A standing charge of Rs.4/- per K.W. of maximum demand, plus one anna per unit, plus crude oil surcharge at the rate of 0.01 anna per unit for every rupee rise in the price of diesel oil over Rs.78/- per ton, Belgaum Power House delivery".

2. The revised rates should take effect from 1st August 1950.

By order of the Governor of Bombay,

Y.R.PARPIA,
Deputy Secretary to Government.

To

The Director of Public Health for the Government of Bombay,
The Superintending Engineer, Southern Circle,
The Electrical Engineer to Government,
The Executive Engineer, Belgaum Division,
The Accountant General, (through the Finance Department), Bombay,
The Finance Department,
The Public Works Department,
The Legal Department.

PLG.29/11

Vaccine Institute, Belgaum.

Supply of electricity to the --

Government of Bombay.
Local Self Government and Public
Health Department,
Resolution No.2111/33,
Bombay Castle, 26th November 1952.

Read Government Resolution, Local Self Government and Public Health Department, No.2111/33, dated 11th April 1950.

Letter from the Director of Public Health for the Government of Bombay, No.70/27767/A, dated 6th September 1950.

Letter from the Amalgamated Electricity Company (Belgaum) Limited, No.BEL/V/2151, dated 20th March 1951.

"With reference to the interview the undersigned had with you, we are pleased to inform you that we can revise our offer of rates as under :-

> A Standing charge of Rs.4/- per K.W. of maximum demand plus one anna per unit plus crude oil surcharge at the rate of 0.01 anna per unit for every rupee rise in the price of diesel oil over Rs.78/- per ton, Belgaum Power House delivery.

You will note from the above that the rate has been improved in the case of unit charge on the present 1½ annas to one anna per unit.

We hope you will find the above in order."

Memorandum from the Electrical Engineer to Government No.L.R.M.-12/218, dated 6th April 1951.

" Returned with compliments.

2. The charges specified in sub-clause (3) of clause 5 of the draft agreement were considered rather high, and hence the matter was discussed with the Company's representative, Shri.N.C.Javeri, who has since agreed to the modification as under, vide the Supply Company's letter dated the 20th March 1951, enclosed in original:-

> Clause (3) :- A standing charge of Rs.4/- per K.W. of Maximum demand, plus one anna per unit, plus crude oil surcharge at the rate of 0.01 anna per unit for every rupee rise in the price of diesel oil over Rs.78/- per ton, Belgaum Power House delivery.

3. I consider the revised rates as reasonable in view of the present day high cost of fuel, and they may be approved."

Letter from the Amalgamated Electricity Company (Belgaum) Limited, No.A.M.A.L./B.E.L./V-2151, dated 25th June 1951.

" We would invite reference to Government Resolution No.2111/33 dated 11th April 1950, our letter dated 25th January 1951, addressed to the Asstt. Director of Public Health, I/C. Vaccine Institute, terminating the previous contract with effect from the end of July, 1950 and the draft agreement for a fresh contract which has been under the consideration of Government for over a year and request you to expedite it at an early date to enable us to send revised bills with effect from 1st August, 1950."

Letter from the Director of Public Health for the Government of Bombay, No.70-30339-A, dated 20th September 1951.

Resolution ..

Resolution:- Government is pleased to sanction for a period of five years the following revised rates for the supply of electricity by the Amalgamated Electricity Company (Belgaum), Limited, to the Vaccine Institute, Belgaum:-

"A standing charge of Rs.4/- per k.w. of maximum demand, plus one anna per unit, plus crude oil surcharge at the rate of 0.01 anna per unit for every rupee rise in the price of diesel oil over Rs.78/- per ton, Belgaum Power House delivery".

2. The revised rates should take effect from 1st August 1950.

By order of the Governor of Bombay,

Y.R.PARPIA,
Deputy Secretary to Government.

To

The Director of Public Health for the Government of Bombay,
The Superintending Engineer, Southern Circle,
The Electrical Engineer to Government,
The Executive Engineer, Belgaum Division,
The Accountant General, (through the Finance Department), Bombay,
The Finance Department,
The Public Works Department,
The Legal Department.

PLG.29/11

(Below copy of Government Resolution, Local Self Government and Public Health Department, No.2111/33, dated 26th November 1952)

No.2111/33-D,
Local Self Government and
Public Health Department,
Bombay Castle, ~~December, 1952.~~ 2nd January 1953

Forwarded to -

the Chief Engineer, Public Works Department,

the Executive Engineer, Poona Electrical Division,

for information.

By order of the Governor of Bombay,

Assistant Secretary to the Government of Bombay,
Local Self Government and Public Health Department,

PGW.13/12/52.

4

K.Br.

P.W.D.

G.R., L.S.G. & P.H.D., No. 2111/33, dt. 26-11-52, was recd. in this Deptt. under file No. LBB1852/1865-40 and those ppts. were sent up to the L.S.G. & P.H.D. on the 8/12/52, presumably for endorsing a copy of the GR. to the C.E., P.W.D. & E.E., Ponnani Dn. The L.S.G. & P.H.D has now endorsed copy of the GR to the ~~C.E., P.W.D.~~ officers concerned. Receipt of the main ppts. may be awaited.

6-1-53

Thro: Registry

6/1/53

A/ E.E's copy retained pl.
6/1/53.
6.1.53 K

A.O. (III) 5/1

K.A.

P.W.D.

LBB 1852

Resubmitted

The main ppts have since been recd back from the L.S.G. & P.H.D. under No. LBB 1852/2841. These ppts may be sent to the Registry as the G.O. is meant for the C.E.

Record – vide A above

13/1/53

Supdt.

Resolution:- Government is pleased to sanction for a period of five years the following revised rates for the supply of electricity by the Amalgamated Electricity Company (Belgaum), Limited, to the Vaccine Institute, Belgaum:-

"A standing charge of Rs.4/- per K.W. of maximum demand, plus one anna per unit, plus crude oil surcharge at the rate of 0.01 anna per unit for every rupee rise in the price of diesel oil over Rs.78/- per ton, Belgaum Power House delivery".

2. The revised rates should take effect from 1st August 1950.

By order of the Governor of Bombay,

Y.R.PARPIA,
Deputy Secretary to Government.

To

The Director of Public Health for the Government of Bombay,
The Superintending Engineer, Southern Circle,
The Electrical Engineer to Government,
The Executive Engineer, Belgaum Division,
The Accountant General, (through the Finance Department), Bombay,
The Finance Department,
The Public Works Department,
The Legal Department.

Orders issued after consultation with the P.W.D. Department. Notes remain with the Department and can be seen when required.

PLG.29/11

P. W. D. LBB 1852 116540

Pl. list of cases of P.W.D. LBB 1852/116540 5'

P.W.I.

K. Br.

LOCAL SELF GOVERNMENT & PUBLIC HEALTH DEPT.
-9 DEC 1952
FILE No. 10 PWD LBB 1852/116540
SERIAL No. 5-9-20

Submitted.

2. The L.S.G. & P.H.D may be requested to endorse copies of the orders to the C.E. P.W.D. and the Ex. Engr. Paona Ex. Dn. as that Deptt has not done so.

8/12/52

8/12/52

A.S. (III) 9-12-52 (B.T.S)

LSG & PH Dd.



LBB 1852/16540

P.W.I.

K.Br.

LOCAL SELF GOVERNMENT & PUBLIC HEALTH DEPT.
D -9 DEC 1952
To PWD LBB 1852/16540
FILE No. 5-9 20
SERIAL No.

Submitted.

2. The L.S.G & P.H.D may be requested to endorse copies of the orders to the C.E. P.W.D and the Ex. Engr. Pamba Ex. Dn. as that Deptt has not done so.

8/12/52

8/12/52

A.S. (III) 9-12-52 (P.T.S)

(Below copy of CR Lr. dtd
No 2111/53, d. 26.12.1952)

No. 2111/53 →
Lr. dtd.

BC 2nd ~~Dec~~ 1952
Jan 53.

Forwarded to

The Chief Engineer, (Civil),
The Ex. Engr., Power Elec Div.

for information.

desired.
2/1/53.

ISSUED
8 JAN 1953

By order

Asstt
for Govt.

Asstt
2/1/53



755

LBB 1852/2841

P. W. D.

KA

Submitted with refce. to this Deptt. U.O. dt. p.3 the 9-12-52.

2 The C.E.'S copy has since been recd. under No. LBB 1852/931 and is being sent to the Registry separately.

DEO
13-1-53

13-1-53

A.S. (IV)

file
13/1